CITY OF ESPAÑOLA POLICE DEPARTMENT Allegation / Inquiry Report

☐ Compliment ☐ Complaint ☐ Inquiry

(PD) Administration ☐ (PD) Operations ☐ (PD) Dispatch ☐ (PD) Detention ☐ (PD) Animal Shelter ☐
Date/Time Reported: 6/16/16 How Received: Telephone Time Person Other
1. Details of complaint as stated by the complainant (Attach additional sheets of paper if needed). Twas at my work place "Quick Car wash located on 1213 Riverside Dr. Twas watering downthe Packing lot. I was hit by a Truck and on officer that was at the Car wash arested me for No Reason. 2. Interviewer's Remarks (Attach additional sheets of paper if needed). Detailes attached"
Witnesses: (Employee or Citizen) Citizen
Name: Felipe Address: Home Ph: 433-3905Work Ph:
Name:
How would you like this Complaint resolved? Charges Dropped
Signature:
Taken By: Assigned To: Due Date:
Chief's review/Date:Findings:
Date complainant was notified of results:

CHRISTUS St. Vincent Regional Medical Center

455 St Michael's Drive Santa Fe, New Mexico 87505

505-983-3361

ED Patient Discharge Summary

Patient Information

Name: MARQUEZ, JUAN M Age: 59 Years Date of Birth: 5/14/1957

Patient Phone: (505) 901-6295

MRN: 0000310677 FIN: 3001273712

Current Date: 6/14/2016 20:29:03

Discharge Diagnosis: Rib contusion; Shoulder contusion

Provider Information

Primary Care Provider: PCP, Out of Town Phone:

Emergency Room Provider: Mays, Julie Annette

CHRISTUS St. Vincent Regional Medical Center would like to thank you for allowing us to assist you with your healthcare needs. The following document includes patient education materials and information regarding your injury/illness. Our entire staff strives to provide a very good experience for our patients and their families. You may receive by mail a survey about your experience with us. Please remember you have been evaluated and treated today on an Emergency Care basis.

View information about your recent hospital visit anytime online with **myHealth myHospital** at **www.stvin.org/myhealth**

MARQUEZ, JUAN M has been given the following list of patient education materials, prescriptions and follow-up instructions:

Below is a list of procedures performed in the ED:

X-ray plain film

Patient: MARQUEZ, JUAN M 1 of 10 06/14/2016 20:29:07 MRN: 0000310677

CLINICAL ED DISCHARGE SUMMARY

CHRISTUS St. Vincent Regional Medical Center 455 Saint Michaels Drive Santa Fe, New Mexico 87505 505-983-3361

PERSON INFORMATION

Name MARQUEZ, JUAN M Language English

Sex Male Age 59 Years MRN 359072 Acct# 3001273712

Phone (505) 901-6295

DOB 5/14/1957

Patient Address: 1902 B CANADA COURT ESPANOLA NM 87532

Visit Information

Encounter Diagnosis: Rib contusion; Shoulder contusion

Chief Complaint: Rib pain; LT SIDED PX

Med Service: Emergency Room Arrival: 6/14/2016 17:54:00 Discharge Location:

PROVIDER INFORMATION

PCP: PCP, Out of Town Admitting Physician:

Emergency Room Provider: Mays, Julie Annette

Consulting Physician:

DISCHARGE VITAL SIGNS

Temperature: 37 DegC

Blood Pressure: 165 mmHg / 81 mmHg

Heart Rate: 82 bpm

Respiratory Rate: 18 br/min 0xygen Saturation: 94 %

Pain Score: 6

BIOMETRIC INFORMATION

Height: 167 cm Weight: 86 kg BMI: 30.8 kg/m2

Allergies NKA

Immunizations

No Immunizations Documented This Visit

MEDICATIONS

Fill New Prescriptions:

Patient: MARQUEZ, JUAN M

MRN: 0000310677


1 of 3

06/14/2016 20:29:08

• Broken bone (fracture).

HOME CARE INSTRUCTIONS

- Apply ice to the sore area.
- Put ice in a plastic bag.
- Place a towel between your skin and the bag.
- o Leave the ice on for 15-20 minutes, 3-4 times per day for the first 2 days, or as directed by your health care provider.
- Stop using cold packs if they do not help with the pain.
- If you have a shoulder sling or immobilizer, wear it as long as your caregiver instructs. Only remove it to shower or bathe. Move your arm as little as possible, but keep your hand moving to prevent swelling.
- Squeeze a soft ball or foam pad as much as possible to help prevent swelling.
- Only take over-the-counter or prescription medicines for pain, discomfort, or fever as directed by your caregiver.



SEEK MEDICAL CARE IF:

- Your shoulder pain increases, or new pain develops in your arm, hand, or fingers.
- Your hand or fingers become cold and numb.
- · Your pain is not relieved with medicines.

SEEK IMMEDIATE MEDICAL CARE IF:

- Your arm, hand, or fingers are numb or tingling.
- · Your arm, hand, or fingers are significantly swollen or turn white or blue.

MAKE SURE YOU:

- Understand these instructions.
- Will watch your condition.
- Will get help right away if you are not doing well or get worse.

Document Released: 09/27/2006 Document Revised: 05/04/2015 Document Reviewed: 12/01/2012

ExitCare® Patient Information ©2015 ExitCare, LLC. This information is not intended to replace advice given to you by your health care provider. Make sure you discuss any questions you have with your health care provider.


Patient: MARQUEZ, JUAN M MRN: 0000310677

Patient Education:

Rib Contusion; Shoulder Pain

Rib Contusion

A rib contusion (*bruise*) can occur by a blow to the chest or by a fall against a hard object. Usually these will be much better in a couple weeks. If X-rays were taken today and there are no broken bones (*fractures*), the diagnosis of bruising is made. However, broken ribs may not show up for several days, or may be discovered later on a routine X-ray when signs of healing show up. If this happens to you, it does not mean that something was missed on the X-ray, but simply that it did not show up on the first X-rays. Earlier diagnosis will not usually change the treatment.



HOME CARE INSTRUCTIONS

- Avoid strenuous activity. Be careful during activities and avoid bumping the injured ribs. Activities that pull on the injured ribs and cause pain should be avoided, if possible.
- For the first day or two, an ice pack used every 20 minutes while awake may be helpful. Put ice in a plastic bag and put a towel between the bag and the skin.
- Eat a normal, well-balanced diet. Drink plenty of fluids to avoid constipation.
- Take deep breaths several times a day to keep lungs free of infection. Try to cough several times a day. Splint the injured area with a pillow while coughing to ease pain. Coughing can help prevent pneumonia.
- Wear a rib belt or binder only if told to do so by your caregiver. If you are wearing a rib belt or binder, you must do the breathing exercises as directed by your caregiver. If not used properly, rib belts or binders restrict breathing which can lead to pneumonia.
- Only take over-the-counter or prescription medicines for pain, discomfort, or fever as directed by your caregiver.

SEEK MEDICAL CARE IF:

- You or your child has an oral temperature above 102° F (38.9° C).
- Your baby is older than 3 months with a rectal temperature of 100.5° F (38.1° C) or higher for more than 1 day.
- You develop a cough, with thick or bloody sputum.

SEEK IMMEDIATE MEDICAL CARE IF:

Patient: MARQUEZ, JUAN M MRN: 0000310677

June 2016

On June 12th 2016 I was at My work Place Quick Car wash located on 1213 Riverside dr Española. I was watering down the parking lot when I noticed a man having a yard Sale on the lot and Saw on officer that told him to leave, So I yelled that I thought he had permission From my buss or the City, when I noticed he din't hear me I turned of the water and Started walking toward the man when I saw on old Truck Licence #NGH+110 who almost Stuck me, he actually almost Run over me. I was able to hold on to the grill so he wordn + Run over me Timmitally yelled at the driver to Stop-using Badwords, So I askde the officer that was their to Check the Truck, but the officer "Greg Esparza" told them to beave at that moment The driver told Me that he had not seen me that he was Sorry. I asked the driver of the truck to tell the Cop What happened, That he almost Run me over but the Cop did not Listen he just told them to leave. and the Cop at me to go to where he

Was drying his Police Unit, when I was by him he asked me to Put my hands behind my back when I asked why he said because I was yelling to much, when I did not put my hands behind my back he teased He Twice and lord me to drop my self to the Floor, after that he picked Me up and Cuffed me and put He in the unit" Cuffs were very light" Officer Dut me in the unit Closed all the windows and lest me in the Carwaiting for About half on hour it was Very hot, I almost had a heat Stroke. When he finished drying his unit he drove me to the hospital because I was burling From the impac of the truck. When we got to the hospital Conother Officer was their Officer Esparza lest and the Other officer Stayed with the me at the hospital and after I was seen he took me to Jail. attached are records from the hospital were I was seen for the hit From the truck. (Rib Contusion)